

# SAE/NPT Tube Fittings, Adapters & Accessories



**O-Ring Face Seal**  
Seal-Lok™

**Sizes** ..... 1/4" through 2"  
**Materials** ..... Steel, Stainless Steel  
**Pressures** ..... Up to 9200 psi



**37° Flare Fittings**  
Triple-Lok®

**Sizes** ..... 1/8" through 2"  
**Materials** ..... Steel, Stainless Steel, Brass  
**Pressures** ..... Up to 9000 psi



**Flareless Bite Type**  
Ferulok®

**Sizes** ..... 1/8" through 2"  
**Materials** ..... Steel, Stainless Steel  
**Pressures** ..... Up to 6000 psi



**Pipe Fittings & Port Adapters**

**Sizes** ..... 1/8" through 2"  
**Materials** ..... Steel, Stainless Steel, Brass  
**Pressures** ..... Up to 7200 psi



**Flareless Bite Type**  
Intrulok®

**Sizes** ..... 1/8" through 1/2"  
**Materials** ..... Brass  
**Pressures** ..... Up to 1500 psi



**Tube & Hose Clamps**  
Parklomp®

**Sizes** ..... 1/4" through 3"  
**Materials** ..... Polypropylene/Steel  
**Pressures** ..... N/A



**Pipe Swivels**

**Sizes** ..... 1/8" through 2"  
**Materials** ..... Steel, Stainless Steel  
**Pressures** ..... Up to 5000 psi



**Hydraulic Flange & Flange Adapters**

**Sizes** ..... 3/4" through 3"  
**Materials** ..... Steel, Stainless Steel  
**Pressures** ..... Up to 6000 psi



**Conversion Adapters**

**Sizes** ..... 1/4" through 1-1/2"  
**Materials** ..... Steel, Stainless Steel  
**Pressures** ..... Up to 7700 psi

# Metric Tube Fittings, Adapters & Accessories



**24° Flareless**  
EO® - Ermeto

**Sizes** ..... 4 mm through 42 mm  
**Materials** ..... Steel, Stainless Steel, Brass  
**Pressures** ..... Up to 630 bar



**Soft Seal 24° Flareless**  
EO-2® - Ermeto

**Sizes** ..... 4 mm through 42 mm  
**Materials** ..... Steel, Stainless Steel  
**Pressures** ..... Up to 630 bar



**O-Ring Face Seal**  
Metric Seal-Lok™

**Sizes** ..... 6 mm through 38 mm  
**Materials** ..... Steel  
**Pressures** ..... Up to 9200 psi



**37° Flare Fittings**  
Metric Triple-Lok®

**Sizes** ..... 6 mm through 38 mm  
**Materials** ..... Steel, Stainless Steel  
**Pressures** ..... Up to 7200 psi



**60° Cone BSPP Adapters**  
K4 Adapters

**Sizes** ..... 1/8" through 2"  
**Materials** ..... Steel  
**Pressures** ..... Up to 5000 psi



**Japanese Industrial Standard**  
JIS

**Sizes** ..... 1/4" through 1"  
**Materials** ..... Steel  
**Pressures** ..... Up to 5000 psi



**Metric Tube**

**Sizes** ..... 4 mm through 65 mm  
**Materials** ..... Steel (St. 37.4) phosphate oiled or zinc-plated yellow chromate



**30° Flare**  
Komatsu Style Adapters

**Sizes** ..... M14 x 1.5 through M33 x 1.5  
**Materials** ..... Steel  
**Pressures** ..... Up to 4000 psi



**Tube Clamps**

**Sizes** ..... 6 mm through 219 mm  
**Materials** ..... Polypropylene  
**Pressures** ..... N/A

# Power Equipment & Accessories



**Flange & Flare Machine**  
**Parflange® 1025**

Bench-top machine used to flange or flare both inch and metric tube for use with Parker Seal-Lok™ or Triple-Lok® fittings.



**Tube Prep Center**  
**TP1025**

Performs four functions: cuts, deburrs, flares and flanges tube. Mounted with Parflange 1025 and cut-off saw.



**Hydraulic Bending**  
**HB632**

Operates hydraulically and bends steel and stainless-steel tube from 3/8" through 2", 10 mm through 50 mm and pipe 3/8" through 1-1/2".



**Tube & Pipe Bender Kit**  
**CP432**

Bends steel and stainless-steel tube and pipe from 1/4" to 2" utilizing a center push bending method and 90 psi air supply.



**Hydraulic Presetting**  
**Hyferset®**

Presets both inch and metric ferrules on steel or stainless-steel tube from 1/4" through 2" or 6 mm through 28 mm.



**Hydraulic Flaring & Presetting**  
**Hydra-Tool®**

Flares steel, stainless-steel and copper tube sizes 1/4" through 2" and 6 mm through 50 mm. Presets steel and stainless-steel tube 1/4" through 2" and 6 mm through 42 mm.



**Cut-Off Saw & Deburr Tool**

Cut-off saw cuts 1/4" through 2-3/4" copper, brass, aluminum, steel and stainless-steel tube at a low speed to prevent work hardening the tube end. Power deburr tool deburrs the I.D and O.D. of 1/4" through 2" steel, stainless-steel, copper and aluminum tube.

# Hand Equipment & Accessories



## Hand Benders

For bending 1/8" through 1" and 5 mm through 25 mm copper, aluminum, steel or stainless-steel tube.



## Bender Kits

### Exactol® 400 Series

Portable crank-operated bender that is vise or bench mountable. Capable of bending 1/4" through 1-1/2" and 6 mm through 38 mm tube.



## Wrenches

### Par-Lok®

360° snap-action ratchet for hex sizes from 3/8" to 2-1/4" across the flats and metric from 10 mm to 50 mm.



## Flaring Tools

Various flaring tools for 1/8" through 1-1/2" and 6 mm through 38 mm tube.



## Cutting & Deburring Tools

Various tools for cutting, deburring and properly preparing 1/8" through 2" tube for assembly to fittings.



## Port Tools

Tapping and counterboring tools for SAE J1926-1, DIN 3852-1, BSPP (ISO 228-1 and ISO 7-1), NPTF and ISO 6149-1.



## Presetting Tools

Various tools for presetting tube 1/8" through 2" and 4 mm through 42 mm.



## Thread I.D. Kit

Various thread I.D. tools for identifying both female and male threads.



## Lubricants & Sealants

A variety of sealants, lubricants, primers and cleaners for fastener and fitting applications.